


Reducing the discarding of small prawns in NSW's commercial and recreational prawn fisheries

M.K. Broadhurst, W.G. Macbeth and M.E.L. Wooden

NSW Department of Primary Industries
Fisheries Conservation Technology Unit
PO Box J321, Coffs Harbour, NSW, 2450
Australia



FRDC Project No. 2001/031

February 2005

NSW Department of Primary Industries -
Fisheries Final Report Series
No. 71
ISSN 1449-9967



NSW DEPARTMENT OF
PRIMARY INDUSTRIES



Australian Government
Fisheries Research and
Development Corporation

Reducing the discarding of small prawns in NSW's commercial and recreational prawn fisheries

February 2005

Authors: M.K. Broadhurst, W.G. Macbeth and M.E.L. Wooden
Published By: NSW Department of Primary Industries (now incorporating NSW Fisheries)
Postal Address: Cronulla Fisheries Centre, PO Box 21, NSW, 2230
Internet: www.fisheries.nsw.gov.au

© NSW Department of Primary Industries and the Fisheries Research & Development Corporation.

This work is copyright. Except as permitted under the Copyright Act, no part of this reproduction may be reproduced by any process, electronic or otherwise, without the specific written permission of the copyright owners. Neither may information be stored electronically in any form whatsoever without such permission.

DISCLAIMER

The publishers do not warrant that the information in this report is free from errors or omissions. The publishers do not accept any form of liability, be it contractual, tortuous or otherwise, for the contents of this report for any consequences arising from its use or any reliance placed on it. The information, opinions and advice contained in this report may not relate to, or be relevant to, a reader's particular circumstance.

ISSN 1449-9967

(Note: Prior to July 2004, this report series was published as the 'NSW Fisheries Final Report Series' with ISSN number 1440-3544)

TABLE OF CONTENTS

TABLE OF CONTENTS.....	I
LIST OF TABLES.....	III
LIST OF FIGURES	III
ACKNOWLEDGEMENTS.....	IV
NON-TECHNICAL SUMMARY	V
1. INTRODUCTION	8
1.1. BACKGROUND	8
1.2. NEED	9
1.3. OBJECTIVES	15
2. METHODS.....	16
2.1. QUANTIFYING THE SIZE SELECTIVITY OF CONVENTIONAL AND MODIFIED GEARS	16
2.2. QUANTIFYING THE SPECIES SELECTIVITY OF CONVENTIONAL AND MODIFIED GEARS	21
3. RESULTS	22
3.1. HAUL, PUSH AND SCOOP NETS	22
3.2. TRAWLS.....	22
3.3. SEINES	26
3.4. STOW NETS	28
3.5. TRAP NETS	28
4. DISCUSSION.....	29
5. IMPLICATIONS OF THE RESEARCH	33
5.1. BENEFITS	33
5.2. FURTHER DEVELOPMENTS	33
5.3. PLANNED OUTCOMES	34
5.4. CONCLUSIONS.....	34
6. REFERENCES.....	35
APPENDICES	38
APPENDIX 1 - INTELLECTUAL PROPERTY	38
APPENDIX 2 - STAFF.....	38
APPENDIX 3 - BROADHURST, M.K., BARKER, D.T., PATERSON, B.D. AND KENNELLY, S.J. 2002. FATE OF JUVENILE SCHOOL PRAWNS, <i>METAPENAEUS MACLEAYI</i>, AFTER SIMULATED CAPTURE AND ESCAPE FROM TRAWLS. MAR. FRESHWATER RES. 53: 1189-1196.	39
APPENDIX 4 - BROADHURST, M.K., MILLAR, R.B., YOUNG, D.J., WOODEN, M.E.L. AND ROWLAND, S. 2004. ATYPICAL SIZE SELECTION OF SCHOOL PRAWNS, <i>METAPENAEUS MACLEAYI</i>, BY THREE RECREATIONAL FISHING GEARS IN SOUTH EASTERN AUSTRALIA. NZ J. MAR. FRESHWATER RES. 38: 755-766.	48
APPENDIX 5 - BROADHURST, M.K., MILLAR, R.B., KENNELLY, S.J., MACBETH, W.G., YOUNG, D.J. AND GRAY, C.A. 2004. SELECTIVITY OF CONVENTIONAL DIAMOND- AND NOVEL SQUARE-MESH CODENDS IN AN AUSTRALIAN ESTUARINE PENAEID-TRAWL FISHERY. FISH. RES. 67: 183-194.	61
APPENDIX 6 - MILLAR, R.B., BROADHURST, M.K. AND MACBETH, W.G. 2004. MODELLING BETWEEN-HAUL VARIABILITY IN THE SIZE SELECTIVITY OF TRAWLS. FISH. RES. 67: 171-181.	74
APPENDIX 7 - BROADHURST, M.K., KENNELLY, S.J. AND GRAY, C.A. 2004. STRATEGIES FOR IMPROVING THE SELECTIVITY OF FISHING GEARS. SUB. FOR PUBLICATION IN THE BOOK ENTITLED "REDUCING BYCATCH AND IMPROVING SELECTIVITY" (KLEUWER PUBLISHING).	86
APPENDIX 8 - MACBETH, W.G., BROADHURST, M.K. AND MILLAR, R.B. 2005. THE UTILITY OF SQUARE-MESH CODENDS TO REDUCE BYCATCH IN HAWKESBURY RIVER PRAWN TRAWLS. ECOL. MANAGE. RES. 5(3): 221-224.	108

APPENDIX 9 - MACBETH, W.G., BROADHURST, M.K. AND MILLAR, R.B. 2004. FISHERY-SPECIFIC DIFFERENCES IN THE SIZE SELECTIVITY AND CATCH OF DIAMOND- AND SQUARE-MESH CODENDS IN TWO AUSTRALIAN PENAEID SEINES. SUB. TO. FISH. MAN. ECOL.	113
APPENDIX 10 - MACBETH, W.G., BROADHURST, M.K., MILLAR, R.B. AND SMITH, D.A. 2004. INCREASING MESH OPENINGS IN CODENDS: AN APPROPRIATE STRATEGY FOR IMPROVING THE SELECTIVITY OF PENAEID FISHING GEARS IN AN AUSTRALIAN ESTUARY? SUB. TO MAR. FRESHWATER RES.....	135
APPENDIX 11 - MACBETH, W.G., BROADHURST, M.K. AND MILLAR, R.B. 2004. IMPROVING SELECTIVITY IN AN AUSTRALIAN PENAEID STOW-NET FISHERY. IN PRESS IN BULL. MAR. SCI.	159
APPENDIX 12 - BROADHURST, M.K., WOODEN, M.E.L., YOUNG, D.J. AND MACBETH, W.G. 2004. SELECTIVITY OF PENAEID TRAP NETS IN SOUTH-EASTERN AUSTRALIA. SCI. MAR. 68(3): 445-455.....	181
APPENDIX 13 - BROADHURST, M.K., KENNELLY, S.J., MACBETH, W.G., WOODEN, M.E. AND YOUNG, D.J. 2004. REDUCING UNWANTED BYCATCH IN THE PENAEID FISHERIES OF NEW SOUTH WALES, AUSTRALIA. POSTER PRESENTATION AT THE 4TH WORLD FISHERIES CONGRESS.....	193
APPENDIX 14 - BROADHURST, M.K. 2003. REDUCING UNWANTED BYCATCH AND IMPROVING SELECTIVITY IN NSW PRAWN FISHERIES. PROFESSIONAL FISHERMAN, OCTOBER 2003, p. 16-17.....	195

LIST OF TABLES

Table 1.	Summary of the gears, locations and the treatments examined during individual fishing operations.....	19
Table 2.	Carapace lengths (in mm) at 50% probability of retention (L50) and selection ranges (SR) for school, eastern king and greasyback prawns for conventional (<i>italicized</i>) and modified fishing gears examined in the various estuaries.....	23
Table 3.	Mean percentage differences in total non-prawn bycatch by modified fishing gears tested during comparative trials with conventional gears.	27
Table 4.	Estimated percentages of school prawns between 5 and 20 mm carapace length (CL) escaping from the conventional 40-mm diamond-mesh codend (non selective), being 'riddled' from the landed catch (using an L50 and SR of 12.40 and 2.72 mm CL, respectively) onboard the vessel or escaping from the 27-mm square-mesh codend (using an L50 and SR of 12.23 and 2.97 mm CL, respectively) during fishing in the Clarence River.	31

LIST OF FIGURES

Figure 1.	Recreational haul, push and scoop nets used in NSW.....	9
Figure 2.	A) typical prawn trawl rigged in B) single and C) twin gear configurations.....	10
Figure 3.	A) river seine and B) method of setting and retrieving the gear.....	11
Figure 4.	Typical stow net configuration used in NSW.....	11
Figure 5.	Diagrammatic representation of A) trap nets during fishing and B) using a dory to progressively concentrate the catch towards the bunt.....	12
Figure 7.	Dimensions of typical square-mesh codends used with A) trawls and B) seines and stow nets.....	17
Figure 8.	Linear regressions between the carapace length and maximum height and width for school prawns (n = 200).....	30

ACKNOWLEDGEMENTS

This study was funded by the NSW Department of Primary Industries (DPI) and the Fisheries Research and Development Corporation (FRDC). The work would not have been possible without the proactive support of commercial prawn fishers throughout NSW, including (but not limited to) John Joplin, Gary Howard, Geoff Rose, Peter Carlon, Jim Elliot, Dennis Hyde and the Cheers and Ragno families. We are especially grateful for the invaluable technical expertise, advice and assistance provided by Donald and Barry Johnson from the Clarence River.

Thanks are extended to Drs Steve Kennelly and Charles Gray and our numerous other colleagues at NSW DPI who provided scientific advice and assistance throughout the work and to Dr Russell Millar for his extensive intellectual contribution towards experimental designs and analyses.

NON-TECHNICAL SUMMARY

2001/031	Reducing the discarding of small prawns in NSW's commercial and recreational fisheries
----------	--

PRINCIPAL INVESTIGATOR: Dr Matt Broadhurst

ADDRESS: NSW Department of Primary Industries
Fisheries Conservation Technology Unit
PO Box J321
Coffs Harbour NSW 2450
Telephone: 02 6648 3905; Fax: 02 6651 6580

OBJECTIVES:

- (1) To develop and test a variety of modifications to gears and fishing practices that improve size selectivity and reduce the bycatch and discarding of small school and king prawns from the many methods used to catch them in NSW's commercial and recreational fisheries.
- (2) To facilitate the extension of the research results throughout the appropriate sectors.
- (3) To recommend and help implement appropriate changes to regulations governing these methods to ensure the widespread use of the results.

NON TECHNICAL SUMMARY:

Outcomes Achieved

The project resulted in recommended changes to the majority of prawn-catching gears used throughout NSW's estuaries that will significantly reduce the fishing mortality of non-targeted sizes of prawns and other species. In particular, an increase in the size of the existing diamond mesh (from 20 to between 25 and 30 mm) was recommended for recreational scoop nets, while square-mesh codends made from between 27- and 29-mm knotless polyamide mesh hung on the bar were recommended for most commercial trawls, seines and stow nets. Regulations on key factors other than mesh size that influence efficiency and selectivity were recommended for all gears.

Few fishing gears catch only the targeted species and their sizes, with many selecting a wide diversity of non-target organisms (termed 'bycatch'), causing problematic interactions with other species, fisheries and user groups. During the past 20 years, most of the concerns about bycatch have been directed towards poor species selection by net-based fishing gears (like otter trawls) and the mortality of charismatic species like turtles and dolphins, as well as juveniles of commercially- and recreationally-important fish. In many cases, these concerns have been mitigated via quite simple modifications to fishing gears and practices designed to minimize the fishing mortality of key non-target species. Another key bycatch issue that has received substantially less attention concerns the capture and discarding of individuals of the targeted species smaller than optimal commercial and/or biological sizes. Poor size selection of fishing gears can have obvious effects on the population of the targeted species and, unlike the discarding of non-target bycatch, is of concern to the fishery in question. In New South Wales (NSW) Australia, the discarding of individuals due to inappropriate size selection is a considerable problem throughout many net-based fisheries, and especially those targeting prawns.

Prawns form the basis of important commercial and recreational fisheries throughout NSW. Catches include 6 species, although school (*Metapenaeus macleayi*), eastern king (*Penaeus*

plebejus), and greasyback prawns (*Metapenaeus bennettiae*) account for more than 98% of the total annual commercial (approx. 1000 t) and recreational (approx. 11 million individuals) harvests. These 3 species are targeted throughout estuaries and rivers using 7 types of small-scale fishing gears that include recreational haul, push and scoop nets and commercial otter trawls, seines, stow nets and trap nets.

Like in most Australian fisheries, the 7 prawn-catching gears used in NSW are managed by regulations that include limits on their dimensions, methods, areas of operation and minimum and maximum stretched diamond mesh openings. These legal mesh sizes vary between 40 and 45 mm in the codend (i.e. the bag where the catch is collected) of otter trawls, 30 and 36 mm throughout seines, stow, haul and push nets, 25 and 36 mm throughout trap nets and 20 mm in scoop nets. The use of gears with such small meshes throughout areas that typically have a lot of small fauna has raised considerable concerns and resulted in several quantitative studies of catches. These studies revealed that, at many locations and times most prawn-catching gears, and especially otter trawls, retain small, unwanted prawns (less than between 15 and 17 mm carapace length - CL, or between 2.7 and 3.3 g). Problems associated with the mortality of these individuals and the potentially negative impacts on stocks led to the present study which aimed to determine:

- (1) the existing size selectivity (i.e. the proportion of individuals retained for any given size) of the various conventional gears for the key species of prawns; and then, if required
- (2) the utility of simple modifications to problematic gears designed to reduce unwanted bycatches of prawns and so improve their size selection.

An underlying assumption of (2) above is that the majority of small prawns escaping through the meshes of fishing gears actually survive the process. However, despite legally-enforced mesh sizes throughout all Australian prawn fisheries, no studies have examined this issue for any of the targeted species. Prior to addressing (1) above, we therefore completed an aquaria-based study that quantified the fate of school prawns after repeated escape from simulated trawls. Like other work done to assess the fate of fish escaping from BRDs, this work demonstrated minimal post-capture damage, stress and mortality (< 11%) and validated an examination of modifications to meshes in prawn-catching gears as a means for reducing the fishing mortality of small prawns.

Where possible, all experiments to assess the size selectivity of the prawn-catching gears were done during normal fishing operations and in those estuaries and rivers characterized by the majority of effort. Each of the experiments involved deploying the gear being tested (termed 'treatment') and a fine-meshed 'control' gear (either simultaneously or alternatively). The numbers and sizes of prawns (and in some cases non-target bycatch) retained in the treatment and fine-meshed control gear were collected and used to estimate the size selectivity of the treatment gear.

The results from various experiments examining the size selectivity of the 7 conventional gears ((1) above) demonstrated that only trap nets were appropriate in terms of allowing nearly all prawns smaller than optimal commercial sizes to escape. Some small prawns were able to pass through the meshes in recreational haul and push nets and commercial stow nets (rigged with 36-mm diamond-mesh codends), but all other gears were entirely inappropriate and retained large proportions of prawns considerably smaller than optimal sizes, with trawls and some seines demonstrated to be completely non selective (i.e. they retained even the smallest prawns). For these problematic gears, we examined up to 4 modifications designed to increase and regulate the mesh openings in their codends so that small prawns (< 15 mm CL) could escape, but larger, optimal sizes were retained. The modifications involved: (1) reducing the fishing circumference; (2) increasing the size of diamond-shaped mesh; (3) reducing the twine diameter of diamond-shaped mesh; and (4) orientating knotless meshes on the bar, so that they were square shaped.

Experiments examining these modifications for the different gears showed that, irrespective of the size of diamond mesh used, unregulated factors such as the fishing circumference and twine

diameter of codends strongly influence the selectivity of prawn-catching gears. While regulating these factors improved the lateral openings of conventional diamond meshes and allowed at least some small prawns to escape, in many cases catches of optimal-sized prawns were also reduced. Appropriate modifications demonstrated to maximize the escape of small unwanted prawns, but maintain catches of optimal sizes, involved:

- (1) increasing the existing diamond-shaped mesh from 20 mm to between 25 and 30 mm in recreational scoop nets; and
- (2) orientating between 27- and 29-mm knotless mesh on the bar (i.e. square mesh) in the codends of commercial trawls and most seines and stow nets.

While there was considerable variability in selection among these latter gears and their locations, in most cases, compared to the conventional diamond-mesh codends, the square-mesh designs allowed up to 99% of individual sizes of unwanted school prawns and 91% of total fish bycatch to escape, while maintaining commercial catches.

Because the majority of escaping prawns survive, we conclude that if the key factors demonstrated to influence size and species selectivity (such as fishing circumference and twine diameter) are regulated, using 25- to 30-mm diamond-shaped meshes in scoop nets and 27- to 29-mm square-mesh codends in trawls and most stow nets and seines, respectively will significantly reduce the fishing mortality of non-target individuals. An absence of data on the stock status of the key prawn species, or their important life history parameters, means it is difficult to estimate the magnitude of benefits that the recommended modifications will have on populations, but these should translate to at least some improvement in harvests.

KEYWORDS: bycatch reduction, selectivity, penaeids, trawls, stow nets, seines, trap nets, scoop nets, haul nets, push nets